References

Adzhubei I. A., Schmidt S., Peshkin L., Ramensky V.E., Gerasimova A., Bork P., Kondrashov A. S. and Sunyaev S. R., (**2010**), A method and server for predicting damaging missense mutations. *Nat Methods.* **7(4),** 248-9.

Anderson N. L. and Anderson N. G., (**1998**), Proteome and proteomics: new technologies, new concepts, and new words. *Electrophoresis.* **19(11),** 1853-61.

Blackstock W. P. and Weir M. P., (**1999**), Proteomics: quantitative and physical mapping of cellular proteins. *Trends Biotechnol.* **17(3),** 121-7.

Brosch R., Philipp W. J., Stavropoulos E., Colston M. J., Cole S. T. and Gordon S. V., (**1999**), Genomic analysis reveals variation between *Mycobacterium tuberculosis* H_{37}Rv and the attenuated *M. tuberculosis* H_{37}Ra strain. *Infect Immun.* **67(11)**, 5768-74.

Buhimschi I. A. and Buhimschi C. S., (**2008**), Proteomics of the amniotic fluid in assessment of the placenta. Relevance for preterm birth. *Placenta.* **29**, S95-101.

Carver T., Berriman M., Tivey A., Patel C., Böhme U., Barrell B. G., Parkhill J. and Rajandream M. A., (**2008**), Artemis and ACT: viewing, annotating and comparing sequences stored in a relational database. *Bioinformatics.* **24(23),** 2672-6.

Chan S. M. and Utz P. J., (**2005**), The challenge of analyzing the proteome in humans with autoimmune diseases. *Ann N Y Acad Sci.* **1062**, 61-8.

Chauhan A., Madiraju M. V., Fol M., Lofton H., Maloney E., Reynolds R. and Rajagopalan M., (2006), *Mycobacterium tuberculosis* cells growing in macrophages are filamentous and deficient in FtsZ rings. *J Bacteriol*. **188**,1856- 65.

Clark-Curtiss J. E. and Haydel S. E., (**2003**), Molecular genetics of *Mycobacterium tuberculosis* pathogenesis. *Annu Rev Microbiol.* **57**, 517-49.

Cole S. T., Brosch R., Parkhill J., Garnier T., Churcher C., Harris D., Gordon S. V., Eiglmeier K., Gas S., Barry C. E. 3rd, Tekaia F., Badcock K., Basham D., Brown D., Chillingworth T., Connor R., Davies R., Devlin K., Feltwell T., Gentles S., Hamlin N., Holroyd S., Hornsby T., Jagels K., Krogh A., McLean J., Moule S., Murphy L., Oliver K., Osborne J., Quail M. A., Rajandream M. A., Rogers J., Rutter S., Seeger K., Skelton J., Squares R., Squares S., Sulston J. E., Taylor K., Whitehead S. and Barrell B. G., (**1998**), Deciphering the biology of Mycobacterium tuberculosis from the complete genome sequence. *Nature.* **393** (6685)**,** 537-44.

Godovac-Zimmermann J. and Brown L. R., (**2001**), Perspectives for mass spectrometry and functional proteomics. *Mass Spectrom Rev.* **20**(1), 1-57.

Gonzalo-Asensio J., Soto C. Y., Arbués A., Sancho J., del Carmen Menéndez M., García M. J., Gicquel B. and Martín C., (2008), The *Mycobacterium tuberculosis* phoPR operon is positively autoregulated in the virulent strain H37Rv. *J Bacteriol.* **190**(21), 7068-78.

Hess B., Kutzner C., Van Der Spoel D., Lindahl E., (**2008**), GROMACS 4: Algorithms for Highly Efficient, Load-Balanced, and Scalable Molecular Simulation. *Chem. Theory Comput*. **4**: 435-447.

Ioerger T. R., Koo S., No E. G., Chen X., Larsen M. H., Jacobs W. R. Jr, Pillay M., Sturm A. W. and Sacchettini J. C., (**2009**), Genome analysis of multi- and extensively-drug-resistant tuberculosis from KwaZulu-Natal, South Africa. *PLoS One*. **4**(11):e7778.

Kohli S., Singh Y., Sharma K., Mittal A., Ehtesham N. Z. and Hasnain S.E., (**2012**), Comparative genomic and proteomic analyses of PE/PPE multigene family of *Mycobacterium tuberculosis* H_{37}Rv and H_{37}Ra reveal novel and interesting differences with implications in virulence. *Nucleic Acids Res*. **40**(15):7113-22

Kumar P., Henikoff S. and Ng P. C., (**2009**), Predicting the effects of coding non-synonymous variants on protein function using the SIFT algorithm. *Nat Protoc.* **4**(7), 1073-81.

Kurtz S., Phillippy A., Delcher A. L., Smoot M., Shumway M., Antonescu C. and Salzberg S. L., (**2004**), Versatile and open software for comparing large genomes. *Genome Biol.* **5**(2), R12.

Li J. B., Zhang M., Dutcher S. K. and Stormo G. D., (**2005**), Procom: a web-based tool to compare multiple eukaryotic proteomes. *Bioinformatics.* **21**(8):1693-4.

Lu G., Jiang L., Helikar R. M., Rowley T. W., Zhang L., Chen X. and Moriyama E. N., (**2006**), GenomeBlast: a web tool for small genome comparison. *BMC Bioinformatics.* **7** Suppl, 4:S18.

Maiti R., Van Domselaar G. H., Zhang H., Wishart D. S., (**2004**), SuperPose: a simple server for sophisticated structural superposition. *Nucleic Acids Res.* **1;**32, W590-4.

Målen H., De Souza G. A., Pathak S., Søfteland T. and Wiker H. G., (**2011**), Comparison of membrane proteins of *Mycobacterium tuberculosis* H_{37}Rv and H_{37}Ra strains. *BMC Microbiol.* **24**, 11-18.

Manca C., Tsenova L., Barry C. E. 3rd, Bergtold A., Freeman S., Haslett P. A., Musser J. M., Freedman V. H. and Kaplan G., (**1999**), *Mycobacterium tuberculosis* CDC1551

induces a more vigorous host response in vivo and in vitro, but is not more virulent than other clinical isolates. *J Immunol*. **162**(11), 6740-6.

Mancheron A., Uricaru R. and Rivals E., (**2011**), An alternative approach to multiple genome comparison. *Nucleic Acids Res.* **39**(15):e101.

Musser J. M., Amin A. and Ramaswamy S., (**2000**), Negligible genetic diversity of mycobacterium tuberculosis host immune system protein targets: evidence of limited selective pressure. *Genetics*. **155**(1), 7-16.

Ng P. C. and Henikoff S., (**2003**), SIFT: Predicting amino acid changes that affect protein function. *Nucleic Acids Res*, **31**(13), 3812-4.

Raviglione M. C., Snider D. E. Jr and Kochi A., (**1995**), Global epidemiology of tuberculosis. Morbidity and mortality of a worldwide epidemic. *JAMA*. **273**(3):220-6.

Sali A., Potterton L., Yuan F., van Vlijmen H. and Karplus M., (**1995**), Evaluation of comparative protein modelling by MODELLER. *Proteins*. **23**, 318-326.

Schmidt T. and Frishman D., (**2006**), PROMPT: a protein mapping and comparison tool. *BMC Bioinformatics*. **7,** 331.

Shah N. S., Wright A , Bai G. H., Barrera L., Boulahbal F., Martín-Casabona N., Drobniewski F., Gilpin C., Havelková M., Lepe R., Lumb R., Metchock B., Portaels F., Rodrigues M. F., Rüsch-Gerdes S., Van Deun A., Vincent V., Laserson K., Wells C. and Cegielski J. P., (**2007**), Worldwide emergence of extensively drug-resistant tuberculosis. *Emerg Infect Dis*. **13**(3), 380-7.

Sreevatsan S., Pan X., Stockbauer K. E., Connell N. D., Kreiswirth B. N., Whittam T. S. and Musser J. M., (**1997**), Restricted structural gene polymorphism in the *Mycobacterium tuberculosis* complex indicates evolutionarily recent global dissemination. *Proc Natl Acad Sci U S A.* **94**(18), 9869-74.

Steenken W. JR and Gardner L.U., (**1946**), History of H37 strain of tubercle bacillus. *Am Rev Tuberc*. **54**, 62-66.

Valway S. E., Sanchez M. P., Shinnick T. F., Orme I., Agerton T., Hoy D., Jones J. S., Westmoreland H. and Onorato I. M., (**1998**), An outbreak involving extensive transmission of a virulent strain of *Mycobacterium tuberculosis*. *N Engl J Med*. **338**(10), 633-9.

Zheng H., Lu L., Wang B., Pu S., Zhang X., Zhu G., Shi W., Zhang L., Wang H., Wang S., Zhao G. and Zhang Y., (**2008**), Genetic basis of virulence attenuation revealed by comparative genomic analysis of *Mycobacterium tuberculosis* strain H37Ra versus H37Rv. *PLoS One.* **3**(6):e2375. doi: 10.1371/journal.pone.0002375.